

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/933,639	08/20/2001	Raymond T. Hsu	010498	6691	
·23696 OLIAL COMM	7590 02/06/2008 INCORPORATED		EXAMINER		
QUALCOMM INCORPORATED 5775 MOREHOUSE DR.			DUONG, DUC T		
SAN DIEGO, CA 92121			ART UNIT	PAPER NUMBER	
		·	2619		
	•				
			NOTIFICATION DATE	DELIVERY MODE	
			02/06/2008	ELECTRONIC	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

us-docketing@qualcomm.com kascanla@qualcomm.com nanm@qualcomm.com

					9 <i>M</i>
. *		Applica	ition No.	Applicant(s)	
•			,639	HSU, RAYMOND	T.
Office Action Summary		Examin	er	Art Unit	
	•	Duc T. [Duong	2619	
	he MAILING DATE of this commu	nication appears on t	he cover sheet w	ith the correspondence ad	ldress
Period for R	•	-00 0500 005	TO EVOIDE OF	AONTHION EDOM	
THE MA - Extension after SIX - If the peri - If NO per - Failure to Any reply	TENED STATUTORY PERIOD IN ILING DATE OF THIS COMMUNATE OF THIS COMMUNATE OF THIS COMMUNATE OF THIS COMMUNATE OF THIS FORM THE MAILING ARE THE PROPERTY OF THE MAILING AND THE	IICATION. s of 37 CFR 1.136(a). In no of munication. 30) days, a reply within the statutory period will apply and y will, by statute, cause the a	event, however, may a tatutory minimum of thin will expire SIX (6) MON application to become A	reply be timely filed rty (30) days will be considered timel NTHS from the mailing date of this considered timel BANDONED (35 U.S.C. § 133).	y. ommunication.
Status					
1)⊠ R€	esponsive to communication(s) fil	ed on <i>21 November</i>	2007.		
· <u> </u>		2b)⊠ This action is			
<i>,</i> —	nce this application is in condition	•		ters, prosecution as to the	e merits is
•	osed in accordance with the pract				
Disposition	of Claims				
	aim(s) <u>1-15</u> is/are pending in the	application			
· ·	Of the above claim(s) is/a		consideration.		,
	aim(s) is/are allowed:				
	aim(s) <u>1-15</u> is/are rejected.				
7)□ Cla	aim(s) is/are objected to.				
8) Cla	aim(s) are subject to restri	ction and/or election	requirement.		
Application	Papers				
9) <u></u> The	e specification is objected to by the	ne Examiner.			
 10)□ The	e drawing(s) filed on is/are	e: a) accepted or l	b) objected to	by the Examiner.	
Ар	plicant may not request that any obje	ection to the drawing(s) be held in abeya	nce. See 37 CFR 1.85(a).	
Re	placement drawing sheet(s) includin	g the correction is requ	aired if the drawing	y(s) is objected to. See 37 CI	FR 1.121(d).
11) The	e oath or declaration is objected t	to by the Examiner. I	Note the attache	d Office Action or form P7	ГО-152.
Priority und	ler 35 U.S.C. § 119				
12) Acl	knowledgment is made of a claim	for foreign priority u	ınder 35 U.S.C.	§ 119(a)-(d) or (f).	
	All b) Some * c) None of:				
1.[Certified copies of the priority	documents have be	en received.		
2.[Certified copies of the priority	documents have be	en received in A	Application No	
3.[Copies of the certified copies	of the priority docur	nents have beer	received in this National	Stage
	application from the Internation	onal Bureau (PCT R	ule 17.2(a)).		
* See	the attached detailed Office action	on for a list of the ce	rtified copies not	received.	
Attachment(s)			. –		
· =	References Cited (PTO-892)	PTO-049\	<u> </u>	Summary (PTO-413) (s)/Mail Date	
' =	f Draftsperson's Patent Drawing Review (on Disclosure Statement(s) (PTO-1449 o	· ·	5) Notice of	Informal Patent Application (PTC	O-152)
,	o(s)/Mail Date	·	6) Other:	 ·	

Art Unit: 2619

DETAILED ACTION

Response to Amendment

Claim Rejections - 35 USC § 101

- 1. 35 U.S.C. 101 reads as follows:
 - Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.
- 2. Claims 5 and 6 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter.

Regarding to claims 5 and 6, the claims recited nothing but a communication signal which is of a form of energy, and as such is nonstatutory. Moreover, it does not appear that a claim reciting a signal encoded with functional descriptive material falls within any of the categories of patentable subject matter set forth in § 101. Also, though claim 6 is direct to a method in the preamble, claim 6 appears to be a to be typing error and as such it is rejected for the same reason as claim 5 since it depend on claim 5.

Claim Rejections - 35 USC § 112

- 3. The following is a quotation of the second paragraph of 35 U.S.C. 112:

 The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 4. Claim 6 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 6 recites the limitation "the method" in line 1 of the preamble. There is insufficient antecedent basis for this limitation in the claim.

Art Unit: 2619

Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 1-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ahmadvand et al (US Patent 6,542,490 B1) in view of Birdwell et al (US Patent 6,032,197).

Regarding to claims 1, 12, and 14, Ahmadvand discloses an apparatus 100 for framing packets in wireless transmission system (fig. 1), the apparatus comprising means 71 for generating a portion of an Internet Protocol (IP) packet 45 for transmission (fig. 3-4 col. 7 lines 12-13), the portion of internet protocol (IP) packet is of one type (col. 7 lines 11-17; the IP packet is one of QoS type); means 73 for appending a start of frame indicator 75 to the portion of the IP packet 45 (fig. 3-4 col. 7 lines 52-55); means 73 for applying an error checking 16b mechanism to the portion of the IP packet 45 (fig. 3-4 col. 8 lines 1-3); means 73 for preparing a frame 74 for transmission, having the start of frame indicator 75, the portion of the IP packet 46, and the error checking mechanism 16b (fig. 3-4 col. 7 lines 60-65) and not including an address and control fields to identify a payload type (fig. 3-4 col. 8 lines 3-5); and means 73 for transmitting the frame 77 without the address and control fields (fig. 3-4 col. 8 lines 3-5).

Ahmadvand fails to teach for framing and transmitting IP packet not including a protocol field.

Art Unit: 2619

However, Birdwell discloses a broadcast transmission system for transmitting IP packets using compress header, wherein the protocol field of the packet is not used in the compressed header (fig. 5 col. 5 lines 59-65).

Thus, it would have been obvious to a person of ordinary skill in the art to employ such compress header as taught by Birdwell in Ahmadvand's system to improve transmission efficiency and conserve bandwidth.

Regarding to claim 5, Ahmadvand discloses a communication signal transmitted via a carrier wave, comprising a payload portion 46 corresponding to at least a portion of an Internet Protocol (IP) packet 45 of digital information and not including a protocol field to identify a payload portion (fig. 4 col. 7 lines 12-13); a start of frame portion 75 corresponding to the payload portion, and identifying a status of the payload to the portion within an IP packet 45 (fig. 4 col. 7 lines 52-55); an error checking portion 16b for verifying the payload portion (fig. 4 col. 8 lines 1-3).

Ahmadvand fails to teach for framing and transmitting IP packet not including a protocol field.

However, Birdwell discloses a broadcast transmission system for transmitting IP packets using compress header, wherein the protocol field of the packet is not used in the compressed header (fig. 5 col. 5 lines 59-65).

Thus, it would have been obvious to a person of ordinary skill in the art to employ such compress header as taught by Birdwell in Ahmadvand's system to improve transmission efficiency and conserve bandwidth.

Art Unit: 2619

Regarding to claims 7, 13, and 15, Ahmadvand discloses an apparatus 100 for framing packets in wireless transmission system (fig. 1), the apparatus comprising means 73 for receiving a frame 77 of a packet transmission, wherein the frame contains a payload portion of an Internet Protocol IP packet, and does not include a protocol field to identify a payload type (fig. 3-4 col. 8 lines 3-5), the frame 77 having a start of frame portion 75, a payload portion 46, and error checking portion 16b, the frame 77 not including protocol information (fig. 3-4 col. 8 lines 1-5; noted the frame 77 does not include the control field, and thus read on the frame without the protocol information); means 73 for identifying the frame 77 as a start frame 75 in the packet transmission (fig. 3-4 col. 7 lines 52-55); means 73 for verifying the frame 77 using the error checking portion 16b of the frame 77 (fig. 3-4 col. 8 lines 1-3); means 71 for processing the payload portion 46 of the frame 77 (fig. 3-4 col. 7 lines 12-13).

Ahmadvand fails to teach for framing and transmitting IP packet not including a protocol field.

However, Birdwell discloses a broadcast transmission system for transmitting IP packets using compress header, wherein the protocol field of the packet is not used in the compressed header (fig. 5 col. 5 lines 59-65).

Thus, it would have been obvious to a person of ordinary skill in the art to employ such compress header as taught by Birdwell in Ahmadvand's system to improve transmission efficiency and conserve bandwidth.

Regarding to claims 4 and 11, Ahmadvand discloses the error checking mechanism is a frame check sequence 16b (fig. 4 col. 8 lines 1-3).

Art Unit: 2619

Regarding to claims 2 and 8, Ahmadvand discloses the start of frame indicator 75 is a predetermined sequence of bits (fig. 4 col. 7 lines 52-55), and wherein if the payload portion 46 contains the predetermined sequence of bits, the payload portion further 46 includes a classifier (bit stuffing) to identify the predetermined sequence of bits in the payload (fig. 4 col. 7 lines 66-67 and col. 8 line 1; noted it is inherent in the HDLC protocol, bit stuffing ('0') is applied to the payload 46 if a predetermined sequence of bits (five consecutive '1') in the payload 46 match with the predetermined sequence of the flag 78).

Regarding to claims 3 and 9, Ahmadvand discloses the classifier correspond to an escape character (col. 7 lines 66-67 and col. 8 line 1; noted a bit '0' representation read on an escape character).

Regarding to claim 6, Ahmadvand discloses the start of frame portion 75 is a predetermined sequence of bits (fig. 4 col. 7 lines 52-55), and wherein if the payload portion 46 contains the predetermined sequence of bits, the payload portion further comprises a classifier portion (fig. 4 col. 7 lines 66-67 and col. 8 line 1; noted it is inherent in the HDLC protocol, if a predetermined sequence of bits (five consecutive '1') in the payload 46 match with a predetermined sequence in the flag 78, a bit stuffing (classifier or '0') is applied to the payload 46).

Regarding to claim 10, Ahmadvand discloses identifying the classifier in the payload 46, and processing the payload 46 without the classifier (fig. 4 col. 7 lines 66-67 and col. 8 line 1; noted it is inherent in the HDLC protocol, when processing a frame if a

Art Unit: 2619

'0' (classifier) is detected following a predetermined sequence of bits (five consecutive '1') in the payload 46, the '0' (classifier) will be remove or discard).

Response to Arguments

Applicant's arguments filed November 21, 2007 have been fully considered but 7. they are not persuasive. Regarding to applicant's argument on page 8, Birdwell fails to teach for "not including a protocol field to identify a payload type". In response, examiner respectfully traverses the assertion. First examiner indeed agreed with applicant that in Birdwell the 16-bit protocol block 42 identifies the protocol format for the header 40 (fig. 3-5 col. 4 lines 55-56). However, that 16-bit protocol block can have different formats as suggested by Birdwell, such as TCP/IP, IPX/SPX, and NetBEUL (col. 4 lines 42-53). And using these different format headers 42 the payload of the packet will be constructed according to the protocol format of the header. Thus, the protocol block 42 does indeed indicated the payload type of the packet. Furthermore, examiner would like to point out that the 16-bit packet identification field in Birdwell is not used to identify the payload type asserted by applicant, but rather to identify a packet as fragmentation of a datagram or a new datagram. Also, the examiner would like to direct applicant's attention to col. 5 lines 11-31. Herein, Birdwell discloses when a header is compressed, only the 16-bit packet identification field, the 3-bit field, and the 13-bit fragment offset field is kept from packet to packet while the other fields such as protocol field 42 or the protocol field in the IP header can be omitted. Noted these protocol fields indicated the payload type of the packet or the packet format. Thus, based on the reasons set forth here the rejections are maintained.

Art Unit: 2619

Conclusion

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Duc T. Duong whose telephone number is 571-272-3122. The examiner can normally be reached on M-F (9:00 AM-6:00 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wing Chan can be reached on 571-272-7493. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

DD

SUPERVISORY PATENT EXAMINER